


- EdgePull® 3 is a one-piece, integral tab, foam backed, induction heat seal that gives a clean peel heat seal to Polyester (PET) and Polyvinyl Chloride (PVC) containers.
- Available with standard or custom print.

### Typical Product Attributes

#### Construction

Polyester Tab Polyethylene Foam Aluminum Foil Heat Seal		Thickness SI (µm)	Thickness US (Mils)
		340,0	13,4
		25,0	1.0
		38,1	1.5

#### Properties


Characteristic	Test Method	SI	US
Oxygen Transmission (O <sub>2</sub> TR)		Essentially Zero	Essentially Zero
Water Vapor Transmission (WVTR)		Essentially Zero	Essentially Zero
Thickness Tolerance		± 127 µm	± 5 mil
Available Widths		25 – 1016 mm	1 – 40 in
Width Tolerance		± 1,6 mm	± 0.0625 in

#### Regulatory Compliance

FDA Compliance	21 CFR 177.1630 Polyethylene phthalate polymers. 21 CFR 177.1520 Olefin polymers. 21 CFR 177.1210 Closures with sealing gaskets for food containers. 21 CFR 176.180 Components of paper and paperboard in contact with dry foods. 21 CFR 176.170 Components of paper and paperboard in contact with aqueous and fatty foods.
Drug Master File (DMF)	Will be added to a DMF upon request for a Letter of Authorization (LOA).
Other Compliances	USFDA Food Allergen Guidelines   California Proposition 65 Labeling Requirements   Limitations of Heavy Metals in Packaging per CONEG & EU 94/62/EC, Article 11   Meets the compositional requirements of Regulation (EU) 10/2011 on plastic materials and articles intended to come into contact with food
Safety Data Sheet (SDS) Statement	Safety Data Sheets (SDS) are not required for articles as defined in 29 CFR 1910.1200, the OSHA Hazard Communication Standard (HazCom). This product is an article as defined by HazCom and is not considered to be, or to contain, a hazardous chemical based on evaluations made by our company.

Please note that construction does not necessarily reflect all adhesive or resin bonding layers, if present.  
The numbers presented in this product data sheet are typical values and are not intended to be specifications.

## AVAILABLE STANDARD PRINTS



DISCLAIMER: This information is believed to be accurate at the time of printing and is subject to change without notice. Providing this information does not convey any licenses under any patent rights or intellectual property rights of Tri-Seal or others. TRI-SEAL MAKES NO WARRANTY, EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM RELIANCE ON IT. Tri-Seal's only warranties for this product are those written warranties as may be agreed to by Tri-Seal and its customers. TRI-SEAL SPECIFICALLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE.

VERSION 1 | DATE 2022-12-21